

Sedis



Linear bench with backrest in varnished Okumè wood with powder coated cast aluminum supports with base plate.

Variant code: 0012664

Size and weight: Width 800mm
Length 2000mm
Weight 74kg
Seat Height 445mm

Materials: Okumè wood

Powder coated aluminum

Stainless steel (ribs)

Finishes: Water-based varnished Okumè

Polyester powder coated aluminum in wrinkled finish


Brushed stainless steel

Color:
to be chosen from Metalco standard colour range

Finishes:

Fixing: Pre-drilled for anchors

Technical drawing:



metalco.it
info@metalco.it



POWDER COATED STEEL - POWDER COATED ALUMINUM

For every steel product and component, we choose the most suitable raw materials and treatments based on our production cycle and the needs of each design.

Our steel treatments include hot-dip galvanization, cold galvanizing, Sendzimir galvanization, cataphoresis and primer coating.

For our aluminum products and components, we use aluminum in sheet or in extrusion or in casting.

Then we powder coat steel, stainless steel, and aluminum with polyester powder, in accordance with EN ISO 12944-2.

We offer a wide range of standard RAL colors with wrinkled finish with different levels of texture. Only when customization through stickers, pad printing or serigraphy is provided, for technical reasons, their finish will be smooth matte or smooth glossy, depending on the technical feasibility.

We also offer the exclusive SABLÈ' colours, with a peculiar metallic wrinkled texture.

Upon request, different treatments and customizations are available, such as powder coating with non-standard RAL colors, and/or with smooth matte and smooth glossy finishes, and/or anti-graffiti treatment.

If required, the powder coating process can be certified Quality Steel.

RAL



SABLÈ



The mentioned RAL and SABLÈ colours should be considered only illustrative.

metalco.it
info@metalco.it



STAINLESS STEEL

For our stainless steel products and components, we normally use AISI 304 or 304L stainless steel, but in case of installation in highly aggressive conditions we recommend requesting AISI 316 stainless steel.

Our stainless steel is usually brushed or shotblasted, depending on the technical features of the product.

Electropolishing treatment is also available, upon request.



BRUSHED



SHOTBLASTED



WOOD

We use different types of wood for our products, including hardwood, thermotreated pine wood* or Okumè wood.

The hardwood is provided with a water-based pigmented impregnation treatment.

Upon request, hardwood can be left natural/untreated.

Pine wood* undergoes heat treatment, which allows to obtain a material with a longer life cycle, greater resistance to weathering and decay, greater solidity and dimensional stability.

On request, it can be supplied with a water-based pigmented impregnation treatment.

Okumè wood products are always supplied with a water-based varnish.

Thermotreated pine and hardwood can be supplied with FSC certificate on request.

*Thermo-treated pine wood has knots of varying sizes.




THERMO-TREATED PINE



UNTREATED HARDWOOD



THERMO-TREATED PINE WITH PIGMENTED IMPREGNATION



HARDWOOD WITH PIGMENTED IMPREGNATION



VARNISHED OKUMÉ PLYWOOD



VARNISHED OKUMÉ

