

Atollo Tree W



Circular bench with a diameter of 2200 mm, consisting of supports with galvanised and powder coated plate in tubular steel and steel sheet. The upper frame is made of galvanised and powder coated tubular steel and steel sheet. A perimeter frame in powder coated extruded aluminium protects the seat surface consisting of shaped hardwood slats with a 760 mm diameter hole.

Variant code: mpan00315

Size and weight: Diameter 2200 mm
Height 520 mm
Weight 170 kg

Materials: Polyester powder coated steel treated against corrosion*

Polyester powder coated aluminum

Hardwood

Finishes: Polyester powder coated steel in wrinkled finish



Polyester powder coated aluminum in wrinkled finish

Hardwood with water-based pigmented impregnation

Fixing: Pre-drilled for anchors

Accessories: ASTER planter Ø750 H=730 mm

Technical drawing:



metalco.it
info@metalco.it



POWDER COATED STEEL - POWDER COATED ALUMINUM

For every steel product and component, we choose the most suitable raw materials and treatments based on our production cycle and the needs of each design.

Our steel treatments include hot-dip galvanization, cold galvanizing, Sendzimir galvanization, cataphoresis and primer coating.

For our aluminum products and components, we use aluminum in sheet or in extrusion or in casting.

Then we powder coat steel, stainless steel, and aluminum with polyester powder, in accordance with EN ISO 12944-2.

We offer a wide range of standard RAL colors with wrinkled finish with different levels of texture. Only when customization through stickers, pad printing or serigraphy is provided, for technical reasons, their finish will be smooth matte or smooth glossy, depending on the technical feasibility.

We also offer the exclusive SABLÈ' colours, with a peculiar metallic wrinkled texture.

Upon request, different treatments and customizations are available, such as powder coating with non-standard RAL colors, and/or with smooth matte and smooth glossy finishes, and/or anti-graffiti treatment.

If required, the powder coating process can be certified Quality Steel.

RAL



SABLÈ



The mentioned RAL and SABLÈ colours should be considered only illustrative.

metalco.it
info@metalco.it



WOOD

We use different types of wood for our products, including hardwood, thermotreated pine wood* or Okumè wood.

The hardwood is provided with a water-based pigmented impregnation treatment.

Upon request, hardwood can be left natural/untreated.

Pine wood* undergoes heat treatment, which allows to obtain a material with a longer life cycle, greater resistance to weathering and decay, greater solidity and dimensional stability.

On request, it can be supplied with a water-based pigmented impregnation treatment.

Okumè wood products are always supplied with a water-based varnish.

Thermotreated pine and hardwood can be supplied with FSC certificate on request.

*Thermo-treated pine wood has knots of varying sizes.



THERMO-TREATED PINE



UNTREATED HARDWOOD



THERMO-TREATED PINE WITH PIGMENTED IMPREGNATION



HARDWOOD WITH PIGMENTED IMPREGNATION



VARNISHED OKUMÉ PLYWOOD



VARNISHED OKUMÉ

