

# Gpdue 2660

---



Shelter composed of a steel load-bearing column, which supports a structure in the shape of an inverted pyramid. The latter is made of steel tube and covered below by sheets and wooden panels in Okumè plywood, protected by a waterproof sheath to convey rainwater inside the column through a special PVC pipe.

---

**Variant code:** 0105664

---

**Size and weight:** Width 3500mm  
Length 2700mm  
Height 2660mm

---

**Materials:** Steel treated with protective coating and powder coating

---


**Finishes:** Polyester powder coated steel in wrinkled finish

Color:  
to be chosen from Metalco standard colour range

---

**Fixing:** Plate with anchors

Technical drawing:



metalco.it  
info@metalco.it



# POWDER COATED STEEL - POWDER COATED ALUMINUM

For every steel product and component, we choose the most suitable raw materials and treatments based on our production cycle and the needs of each design.

Our steel treatments include hot-dip galvanization, cold galvanizing, Sendzimir galvanization, cataphoresis and primer coating.

For our aluminum products and components, we use aluminum in sheet or in extrusion or in casting.

Then we powder coat steel, stainless steel, and aluminum with polyester powder, in accordance with EN ISO 12944-2.

We offer a wide range of standard RAL colors with wrinkled finish with different levels of texture. Only when customization through stickers, pad printing or serigraphy is provided, for technical reasons, their finish will be smooth matte or smooth glossy, depending on the technical feasibility.

We also offer the exclusive SABLÈ' colours, with a peculiar metallic wrinkled texture.

Upon request, different treatments and customizations are available, such as powder coating with non-standard RAL colors, and/or with smooth matte and smooth glossy finishes, and/or anti-graffiti treatment.

If required, the powder coating process can be certified Quality Steel.

## RAL



## SABLÈ



The mentioned RAL and SABLÈ colours should be considered only illustrative.

metalco.it  
info@metalco.it

